



INTERNATIONAL
ACCREDITATION
SERVICE®

CERTIFICATE OF ACCREDITATION

This is to attest that

BENCHMARK HOLDINGS L.L.C.

2710 WEST 5TH AVENUE
EUGENE, OREGON 97402

Testing Laboratory TL-280

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2005, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation maintained on the IAS website (www.iasonline.org).

This certificate is valid up to January 1, 2018.



This accreditation certificate supersedes any IAS accreditation bearing an earlier effective date. The certificate becomes invalid upon suspension, cancellation or revocation of accreditation. See www.iasonline.org for current accreditation information, or contact IAS at 562-364-8201.



C.P. Ramani
C.P. Ramani, P.E., C.B.O
President



INTERNATIONAL
ACCREDITATION
SERVICE®



SCOPE OF ACCREDITATION

IAS Accreditation Number	TL-280
Company Name	Benchmark Holdings L.L.C.
Address	2710 W 5th Avenue Eugene, OR 97402
Contact Name	Randy Webb, Chief Technical Officer, BMH
Telephone	+1 (541) 484-9212
Effective Date of Scope	September 7, 2017
Accreditation Standard	ISO/IEC 17025:2005

Physical

ANSI A208.1	American national standard for particleboard
ANSI A208.2	American national standard for medium density fiberboard (MDF) for interior applications
ANSI/HPVA HP-1	Hardwood and decorative plywood and panels
ASTM A370	Standard test methods and definitions for mechanical testing of steel products
ASTM A970	Standard specification for headed steel bars for concrete reinforcement
ASTM A1034	Standard test methods for testing mechanical splices for steel reinforcing bars
ASTM D143	Standard test methods for small clear specimens of timber
ASTM D198	Standard test methods of static tests of lumber in structural sizes
ASTM D905	Standard test method for strength properties of adhesive bonds in shear by compression loading
ASTM D1005	Standard Test Method for Measurement of Dry-Film Thickness of Organic Coatings Using Micrometers



SCOPE OF ACCREDITATION

ASTM D1037	Standard test methods for evaluating properties of wood-base fiber and particle panel materials (excluding section 22; in section 12, method c only)
ASTM D1101	Standard test methods for integrity of adhesive joints in structural laminated wood products for exterior use
ASTM D1102	Standard test method for ash in wood
ASTM D1761	Standard test methods for mechanical fasteners in wood
ASTM D2395	Standard test methods for density and specific gravity (relative density) of wood and wood-based materials
ASTM D2559	Standard specification for adhesives for bonded structural wood products for use under exterior exposure conditions
ASTM D2718	Standard test methods for structural panels in planar shear (rolling shear)
ASTM D3043	Standard test methods for structural panels in flexure
ASTM D3359	Standard test methods for measuring adhesion by tape test
ASTM D4060	Standard test method for abrasion resistance of organic coatings by the Taber abraser
ASTM D4442	Standard test methods for direct moisture content measurement of wood and wood-based materials
ASTM D4688	Standard test method for evaluating structural adhesives for finger jointing lumber
ASTM D4761	Standard test methods for mechanical properties of lumber and wood-base structural material
ASTM D5055	Standard specification for establishing and monitoring structural capacities of prefabricated wood i-joists
ASTM D5516	Standard test method for evaluating the flexural properties of fire-retardant treated softwood plywood exposed to elevated temperatures
ASTM D5582	Standard test method for determining formaldehyde levels from wood products using a desiccator



SCOPE OF ACCREDITATION

ASTM D6007-02	Standard test method for determining formaldehyde concentrations in air from wood products using a small-scale chamber
ASTM D6007-14	Standard test method for determining formaldehyde concentrations in air from wood products using a small-scale chamber
ASTM D7147	Standard specification for testing and establishing allowable loads of joist hangers (only section 7.1)
ASTM E8	Standard test methods for tension testing of metallic materials
ASTM E10	Standard test method for Brinell hardness of metallic materials
ASTM E18	Standard test method for Rockwell hardness of metallic materials
ASTM E72	Standard test methods of conducting strength tests of panels for building construction
ASTM E661	Standard test method for performance of wood and wood-based floor and roof sheathing under concentrated static and impact loads
ASTM E1333-96 (2010)	Standard test method for determining formaldehyde concentrations in air and emission rates from wood products using a large chamber
ASTM E1333-14	Standard test method for determining formaldehyde concentrations in air and emission rates from wood products using a large chamber
ASTM F1575	Standard test method for determining bending yield moment of nails
FTM 1-83	Small scale method for determining formaldehyde emissions from wood products: two hour desiccator
ICC-ES AC13	Joist hangers and similar devices (test methods referenced in section 3.0)
ICC-ES AC133	Mechanical splice systems for steel reinforcing bars (test methods referenced in section 4.0)



SCOPE OF ACCREDITATION

ICC-ES AC347	Headed deformed bars for use with 2012 I-codes (test methods referenced in section 4.0)
NALFA-LF-01	Laminate flooring (only sections 3.2, 3.7 and 3.11)
UBC Standard 23-1	Classification, definition and methods of grading for all species of lumber
UBC Standard 23-2	Construction and industrial plywood
ISO 2409	Paints and Varnishes - Cross-cut test (exclusion only section 6.3)
ISO 2808	Paints and Varnishes - Determination of film thickness (only sections 5.2.4 and 5.2.4.1.2)
40 CFR Part 770	U.S. EPA Toxic Substances Control Act (TSCA) Title VI: Formaldehyde Standards for Composite Wood Products
United States Department of Commerce Product Standard PS-1	Structural plywood
United States Department of Commerce Product Standard PS-2	Performance based standard for wood-based structural use panels